

## SS 12.1 - Audio Loops

<b>Address:</b>			
<b>Building Name:</b>			
<b>Provided by (name):</b>			
	<b>Make</b>	<b>Model</b>	<b>Location</b>
1			
2			
3			
4			
<b>Installation Standard:</b>		<input type="checkbox"/> AS 1088.4: <input type="checkbox"/> Specifically Designed Alternate Solution <input type="checkbox"/> Other (Historical) _____	
<b>Inspections &amp; Maintenance Standard:</b>		<input type="checkbox"/> Compliance Schedule Handbook and AS 1088.4: <input type="checkbox"/> Specifically Designed Alternate Solution <input type="checkbox"/> Other (Historical) _____	
<b>Frequency:</b>		<input type="checkbox"/> Six -monthly	<input type="checkbox"/> IQP
		<input type="checkbox"/> Monthly	<input type="checkbox"/> IQP
<b>Inspections &amp; Maintenance:</b>			
Minimum Maintenance and Testing as Specified in Compliance Schedule Handbook, to be performed in conjunction with maintenance required by applicable standard.			
<i>Six-monthly Inspections</i>		<ul style="list-style-type: none"> <li>• Magnetic field strength in the specified magnetic field area for the values defined in AS 1088.4</li> <li>• Magnetic background noise interference from other equipment where, since the last inspection, equipment has been installed, activated or altered in the proximity of the teleloop system. (Such equipment could include electrical fittings, heating systems, electrical controls or equipment, an adjacent loop system or metallic structure).</li> <li>• Sound amplification installations consisting of loop systems should be tested for sound pressure and sound distortion.</li> <li>• Where room acoustics have been altered since the last inspection, the sound amplification should also be tested for spectrum analysis and speech intelligibility (RASTI), (Room acoustics could have been altered or affected by such things as removing carpet, curtains or objects).</li> </ul>	
<b>Reporting:</b>		<p>The owner must keep records of all inspection, maintenance and repairs undertaken in the previous 24 months. The records must be kept on site and as a minimum, include:</p> <ul style="list-style-type: none"> <li>• details of any inspection, test or preventative maintenance carried out, including dates, work undertaken, faults found, remedies applied, and the person who performed the work</li> <li>• details of any other faults found or maintenance and repair work undertaken to maintain the system in working order, including dates, work undertaken, faults found, remedies applied and the person who performed the work</li> </ul>	

The information above is used to help generate the compliance schedule. If you are unsure how to complete this form please consult an IQP who is registered for the system above.